

Specifications For Proper Pesticide Use

Read and Follow Label Directions

Product	REI (Re Entry Interval - hours)	PHI (Pre Harvest Interval - days)	Ground Application Water Volume (gallons)	Rainfast (hours)
Herbicides				
Assure II, Targa	12	45	Min 10	1
Betamix, D-P Mix, Phen-Des	24	75	10 - 20	6
Betanex, Des, Alphanex	24	75	10 -20	6
Dual Magnum	24	60	Min 10	0
Eptam / Eptek	12	---	10 - 50	0
Fargo (Granular)	12	---	-----	0
Fargo 4EC (liquid)	12	---	Min 10	0
Glyphosate (RoundUp)	12	---	3 - 40	*** (see reference below)
Gramoxone Max / Paraquat	12	---	Min 10	4 - 6
Herbicide - 273	48	0 (DAE - Days After Emergence)	10 - 40	1/2 or 30 minutes
Nortron SC, Etho, Ethotron	12	---	10 - 60	6 (foliar) 0 (soil)
Outlook, Propel, Establish	12	60	5 or more	0
Poast	12	60	5 - 20	1
Progress, Des-Phen-Etho	48	75	10 -20	6
RoNeet	12	---	10 - 50	0
Select Max, Select, Arrow	24	40	Min 10 with broadleaf tank mix	1
Volunteer, Trigger, Clethodim, Section				
Stinger, Clopyr Ag, Spur, Garrison	12	45	10 or more	6
Treflan	12	---	5 - 40	0
UpBeet	4	60	Min 10	6

WARNING: This information is based on pesticides registered with EPA in January 2007. Sugarbeet treated with a non-registered pesticide or other chemical may have illegal residues and violate the grower 5 year agreement and will not be accepted by American Crystal Sugar Company for delivery. When applying pesticides after 2007 check labels registered with EPA for proper pesticide use recommendations.

Specifications For Proper Pesticide Use

Product	REI (Re Entry Interval - hours)	PHI (Pre Harvest Interval - days)	Ground Application Water Volume (gallons)	Rainfast (hours)
Insecticides				
Asana	12	21	Min 2	avoid applying where surface water is present
Counter	48 - 72	110	-----	0
Diazinon	24	14	Use sufficient water for uniform coverage	avoid applying where surface water is present
Dibrom 8	48	2	1 - 5	+ + + (see reference below)
Lannate	48	21	Use sufficient water for uniform coverage	avoid applying where surface water is present
Lorsban 15G, Chlorpyrifos 15G, Nufos 15G	24	7	-----	0
Lorsban 4E, Chlorpyrifos 4E, Nufos 4E, Govern 4E, Warhawk, Whirlwind	24	30	10 - 30	0
Methyl parathion	96 - 120	20	Min 3	6
Mustang Max	12	50	Min 10 (foliar) Min 3-5 (soil applied)	void applying where surface water is present (foliar)
Sevin 4F	12	28	Use sufficient water for uniform coverage	avoid applying where surface water is present
Temik	48	90	-----	0
Thimet	48 - 72	30	-----	0
Fungicides				
Agri Tin	48	7	At least 15	avoid applying where surface water is present
Amistar, Quadris	4	0	cient water to ensure thorough coverage of foli	avoid applying where surface water is present
Eminent	12	14	5 or more	avoid applying where surface water is present
Enable 2F	12	14	20	1
Gem	12	21	Min 10	avoid applying where surface water is present
Headline	12	7	cient water to ensure thorough coverage of foli	avoid applying where surface water is present
Mancozeb	24	14	Min 2	avoid applying where surface water is present
Maneb	24	14	Min 10	avoid applying where surface water is present
Sulfurs	24	0	Min 5	avoid applying where surface water is present
Supertin (Liquid and 80 WP)	48	7	At least 15	avoid applying where surface water is present
Topsin	12	21	Use sufficient water for uniform coverage	avoid applying where surface water is present

*** Heavy rainfall soon after application may wash this product off of the foliage and a repeat application may be required for adequate control. (6 hours usually adequate)

+ + + Do not apply within 24 hours following rainfall or irrigation, or in areas where intense or sustained rainfall is forecasted to occur within 24 hours following application