




Rhizomania Management*




Disease Severity	Management Opportunities
Severe	<ul style="list-style-type: none">▪ Use only very high resistance varieties▪ Use good drainage practices▪ Plant as early as possible▪ Maximize rotation length▪ Practice proper crop rotation▪ Monitor for blinkers and resistance breaking strains▪ Watch for severe sugar content decline▪ Tile drainage very likely beneficial▪ Consider renting land with less severity
Moderate	<ul style="list-style-type: none">▪ Use only high resistance varieties▪ Use good drainage practices▪ Plant as early as possible▪ Maximize rotation length▪ Practice proper crop rotation▪ Monitor for blinkers and resistance breaking strains▪ Watch for sugar content decline▪ Monitor field symptoms for increased severity
Slight	<ul style="list-style-type: none">▪ Use any resistant variety▪ Use good drainage practices▪ Plant as early as possible▪ Practice proper crop rotation▪ Monitor field symptoms for increased severity▪ Watch for sugar content decline
None	<ul style="list-style-type: none">▪ Prevent disease introduction▪ Use any resistant variety▪ Use good drainage practices▪ Monitor field symptoms▪ Practice proper crop rotation

* Management strategies listed in priority order

2010 Disease Rating * Rhizomania



- +** Station
- ▭** County
- ▭** Township
- River
- Major Highway
- Rhizomania**
- None
- Slight
- Moderate
- Severe



* The disease ratings are general in nature and may not be representative of all fields in a township