



# Specifications For Proper Pesticide Use Crop Year 2017

## Read and Follow Label Directions



Product	REI (Re Entry Interval - hours)	PHI (Pre Harvest Interval - days)	Ground Application Water Volume (gallons)	Rainfast (hours)
<b>Herbicides</b>				
Assure II, Targa	12	45	Min 10	1
Betamix, D-P Mix, Phen-Des, Sugarbeet Mix	24	75	10 - 20	6
Betanex, Des, Alphanex	24	75	10 -20	6
Dual Magnum, Cinch, Brawl, Charger Basic	24	60	Min 10	0
Eptam	12	---	10 - 50	0
Far-Go (Granular)	12	---	-----	0
Far-Go 4EC (liquid)	12	---	Min 10	0
Fusilade DX	12	90	5 - 40	1
Gramoxone Inteon, Gramoxone SL	12	---	Min 10	4 - 6
Liberty 280 SL	12	Prior to emergence	Min 10	4
Nortron SC, Etho SC, Ethotron SC, Ethofumesate 4SC, Ethofumesate 4SC	12	90 Days (soil applied) 90 Days (POST applied) 60 Days (2 - 8 leaf)	10 - 60	6 (foliar) 0 (soil)
Outlook, Propel, Establish	12	95 Days (9 - 12 leaf)	5 or more	0
Poast	12	60	5 - 20	1
Progress, Des-Phen-Etho	48	75	10 -20	6
Ro-Neet SB	12	---	10 - 50	0
Roundup Original Max, Roundup PowerMax, Roundup WeatherMax and various generic formulations	4	30	3 - 40	*** (see reference on next page)
Select Max, Select, Arrow, Shadow, Volunteer, Trigger, Clethodim, Section, Intensity, Intensity One, Tapout	24	40	Min 10 with broadleaf tank mix	1 Heavy rainfall shortly after application may require re-treatment
Sequence	24	60	10 - 40	
Stinger, Clopyr Ag, Spur, Clean Slate	12	45	10 or more	6
Treflan	12	---	5 - 40	0
UpBeet	4	60	Min 10	6

**WARNING:** This information is based on pesticides registered with EPA in November 2016. Sugarbeet treated with a non-registered pesticide or other chemical may have illegal residues and violate the grower 5 year agreement and will not be accepted by American Crystal Sugar Company for delivery. When applying pesticides in 2017, check labels registered with EPA for proper pesticide use recommendations.



# Specifications For Proper Pesticide Use Crop Year 2017

Read and Follow Label Directions



Product Insecticides	REI (Restricted Entry Interval - hours)	PHI (Pre Harvest Interval - days)	Ground Application Water Volume (gallons)	Rainfast (hours)
Asana XL	12	21	Min 2	avoid applying where surface water is present
Counter 20G	48 - 72	90	-----	0
Dibrom 8 Emulsive	48	2	1 - 5	+++ (see reference below)
Lannate LV, Lannate SP	48	21	Use sufficient water for uniform coverage	avoid applying where surface water is present
Lorsban 15G, Nufos 15G, Chlorpyrifos 15G	24	7	-----	0
Lorsban 4E, Lorsban Advanced, Chlorpyrifos 4E, Chlorpyrifos 4E AG, Nufos 4E, Govern 4E, Warhawk 4E, Whirlwind 4E, Yuma 4E	24	30	10 - 30	0
Mustang Maxx	12	50	Min 10 (foliar) Min 3-5 (soil applied)	avoid applying where surface water is present (foliar)
Sevin 4F, Sevin XLR Plus	12	28	Use sufficient water for uniform coverage	avoid applying where surface water is present
Thimet 20G	48 - 72	30	-----	0

## Fungicides

Agri Tin (powder)		7		
Agri Tin Flowable (liquid)	48	7	At least 15	avoid applying where surface water is present
Eminent	12	14	5 or more	avoid applying where surface water is present
Enable 2F	12	14	20	1
Gem	12	21	Min 10	avoid applying where surface water is present
Headline EC, Headline SC	12	7	sufficient water to ensure thorough coverage of foliage	avoid applying where surface water is present
Inspire XT	12	21	15	Excellent rainfastness due to rapid uptake
Manzate 75 DF, Penncozeb DF	24	14	Min 20	avoid applying where surface water is present
Minerva	12	14	5-10 gallons	apply and allow to dry on leaves
Minerva Duo	48	14	5-10 gallons	apply and allow to dry on leaves
Proline	12	7	Min 10	2
Priaxor	12	7	Min 5	avoid applying where surface water is present
Quadris	4	0	Min 10	avoid applying where surface water is present
Sulfurs (various)	24	0	Min 5	avoid applying where surface water is present
Super Tin (4 L)		7		
Super Tin (80 WP)	48	7	At least 15	avoid applying where surface water is present
Topguard	12	21	Min 10	2
Topsin 4.5L, Topsin 4.5 F, Topsin M 70 WDG, Topsin M WSB, Thiophanate Methyl 85 WDG, T-Methyl 70W WSB, T-Methyl 4.5 F,	24	21	5	use sufficient volume of spray to provide thorough coverage

\*\*\* Heavy rainfall soon after application may wash this product off of the foliage and a repeat application may be required for adequate control. (6 hours usually adequate)

+++ Do not apply within 24 hours following rainfall or irrigation, or in areas where intense or sustained rainfall is forecasted to occur within 24 hours following application  
When applying pesticides in 2017, check labels registered with EPA for proper pesticide use recommendations.