

## Fungicide Use Information

Fungicide Class/Group	Fungicide	Rate/Acre	REI- (Reentry Interval) Hours	PHI- (Preharvest Interval) Days	Water Volume (Gallons Per Acre)
Triazole	Inspire XT	7.0 oz.	12	21	15 gpa
Triazole	Proline	5.7 oz.	12	7	10 gpa or more
Triazole	Minerva/Eminent	13.0 oz.	12	14	5 gpa or more
Triazole + TPTH	Minerva Duo	16.0 oz.	48	14	20 gpa
TPTH	Super Tin/Agri Tin (dry)	5.0 oz.	48	7	15 gpa or more
Strobilurin	Headline SC	9.0 oz.	12	7	Sufficient for Coverage
Strobilurin	Priaxor	6.7 oz.	12	7	Sufficient for Coverage
Strobilurin	Gem	3.5 oz.	12	21	10 gpa or more
Benzimidazole	Topsin M 70W/T-Methyl 70 WSB (dry)	0.5 lbs.	24	21	Sufficient for Coverage
Benzimidazole	Topsin 4.5 FL/T-Methyl 4.5 F (liquid)	10.0 oz.	24	21	Sufficient for Coverage
EBDC	Manzate/Penncozeb DF	1.5-2 lbs.	24	14	2 gpa or more

\*\*\* This chart is no substitute for the product label. Always refer to the label for details.

\*\*\*\* Contact your Agriculturist for further Cercospora management questions