Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Variety

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Revenue/Ton

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Revenue/Acre

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Cercospora

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Aphanomyces

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Rhizoctonia

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Fusarium

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Performance Data of RR Varieties Approved for the 2027 Season - Sorted by Emergence

Variety	Yrs	Rev/Ton ++			Rev/Acre ++			Rec/Ton		Rec/Acre		Yield		Sugar		Molasses		Emergence +		Cerc. *		Aphan. *		Rhizoc. *		Fusarium *		Rzm *
	Com	26	2 Yr	2Y%	26	2 Yr	2Y%	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	26	2 Yr	
Number of locations →		8	20		8	20		8	20	8	20	8	20	8	20	8	20	8	20	4	9	2	4	2	6	2	4	
Crystal 361	2	74.05	70.69	104	2362	2322	107	339	338	10893	11174	32.5	33.3	17.87	17.84	0.95	0.95	83	78	4.3	4.0	3.5	3.3	3.4	3.7	2.9	2.6	MG
BTS 8018	5	71.13	66.85	99	2348	2264	104	331	328	11022	11185	33.6	34.4	17.57	17.40	1.01	1.01	81	78	4.7	4.3	4.1	3.8	3.7	3.8	2.8	2.6	MG
Crystal 793	8	73.55	68.78	101	2346	2283	105	337	333	10848	11138	32.5	33.7	17.83	17.62	0.97	0.98	81	78	4.2	4.1	3.3	3.2	4.0	4.1	2.9	2.7	MG
BTS 8440	1	77.15	72.50	107	2444	2367	109	346	342	11053	11261	32.2	33.1	18.20	18.03	0.89	0.90	81	77	3.7	3.4	3.6	3.6	3.6	3.7	3.1	2.8	MG
BTS 8457	1	74.76	70.25	104	2351	2290	106	340	337	10782	11063	32.0	33.1	17.89	17.72	0.88	0.89	81	77	4.6	4.4	3.6	3.8	3.4	3.6	3.1	2.9	MG
Crystal 584	NC	76.99	72.50	107	2425	2339	108	346	343	10999	11139	32.2	32.8	18.30	18.12	1.00	0.99	81	77	3.9	3.9	3.7	3.5	4.0	3.9	2.7	2.3	MG
Crystal 591	NC	79.15	73.62	109	2502	2404	111	351	345	11227	11378	32.4	33.3	18.53	18.23	0.96	0.96	80	77	3.9	3.5	3.3	3.4	3.8	3.9	2.8	2.3	MG
SX 1835 **	2	70.52	65.23	96	2232	2196	101	330	323	10528	10999	32.3	34.3	17.54	17.25	1.06	1.08	81	77	4.8	4.7	3.2	3.8	4.3	4.1	4.7	4.7	MG
HIL 2493 **	1	71.35	65.75	97	2241	2203	102	332	325	10503	10994	32.0	34.1	17.60	17.27	1.01	1.04	80	77	4.6	4.6	3.9	4.1	4.2	3.9	4.9	4.7	MG
Crystal 130	4	73.14	69.04	102	2352	2283	105	336	334	10912	11112	32.8	33.6	17.78	17.66	0.97	0.99	82	76	5.3	4.8	3.5	3.5	3.7	3.7	3.2	2.9	MG
BTS 8226	3	76.54	71.69	106	2414	2335	108	345	340	10965	11169	32.2	33.1	18.13	17.94	0.89	0.92	80	76	4.9	4.5	3.7	3.5	3.4	3.5	3.4	3.1	MG
BTS 8927	6	74.24	70.00	103	2332	2274	105	339	336	10734	10998	32.0	33.0	17.90	17.77	0.95	0.97	79	76	4.3	4.3	4.1	3.9	3.6	3.7	3.1	2.7	MG
Crystal 594	NC	74.97	70.95	105	2403	2357	109	341	339	11019	11341	32.7	33.8	18.04	17.89	0.99	0.96	78	75	4.7	4.7	3.4	3.7	3.5	3.5	2.7	2.5	MG
SV 231	2	69.53	65.17	96	2178	2179	100	327	323	10343	10917	32.0	34.0	17.37	17.20	1.01	1.03	75	75	4.6	4.7	3.8	4.0	3.8	3.8	4.2	4.6	MG
BTS 8598	NC	76.88	72.13	106	2350	2306	106	346	341	10664	11021	31.2	32.6	18.23	18.03	0.94	0.95	77	75	3.9	3.7	4.0	3.7	3.7	3.8	3.9	3.2	MG
HIL 2533 **	NC	66.39	63.30	93	2099	2129	98	319	319	10185	10824	32.2	34.2	17.05	17.00	1.09	1.06	76	75	5.1	4.9	3.8	4.3	3.5	3.6	3.9	4.1	MG
SV 347	NC	73.67	68.39	101	2290	2195	101	338	332	10595	10754	31.8	32.7	17.89	17.62	1.01	1.03	80	75	4.7	4.7	3.7	3.9	4.5	4.3	5.4	5.2	MG
Crystal 471	1	76.82	71.82	106	2451	2351	108	345	341	11109	11240	32.5	33.3	18.18	17.96	0.91	0.93	79	74	4.6	4.4	3.8	3.7	3.4	3.6	2.9	2.6	MG
SX 1815	4	72.25	67.46	99	2259	2178	100	334	329	10538	10732	31.9	32.9	17.70	17.48	1.00	1.01	83	74	4.7	4.7	3.1	3.7	4.2	4.2	5.8	5.9	MG
BTS 8509	NC	73.85	70.08	103	2338	2291	106	338	336	10811	11083	32.4	33.2	17.82	17.73	0.91	0.90	76	73	3.7	3.7	4.2	3.9	3.6	3.7	3.3	2.8	MG
HIL 2389	4	71.74	67.47	99	2266	2191	101	333	329	10589	10767	32.1	32.9	17.65	17.48	1.01	1.01	79	73	4.8	4.7	3.4	3.6	4.3	4.1	5.6	5.5	MG
HIL 2479	2	71.58	67.15	99	2049	2058	95	332	329	9564	10158	29.0	31.1	17.69	17.50	1.08	1.07	74	73	4.3	4.3	4.5	4.3	3.4	3.4	4.9	4.7	MG
SV 345 **	1	68.34	64.37	95	2155	2151	99	324	321	10330	10848	32.2	34.0	17.23	17.11	1.02	1.05	76	73	4.6	4.7	3.7	3.9	4.0	3.8	4.3	4.6	MG
HIL 2480 **	2	68.26	64.58	95	1928	1990	92	324	322	9241	10030	28.8	31.4	17.49	17.34	1.29	1.25	75	72	4.5	4.4	4.5	4.3	3.1	3.2	3.5	3.0	MG
BTS 8520	NC	70.42	66.84	99	2279	2261	104	329	328	10770	11188	33.1	34.4	17.51	17.41	1.04	1.02	73	71	4.3	4.0	3.6	3.7	3.7	3.8	2.9	2.5	MG
HIL 2532 **	NC	69.74	65.86	97	2191	2110	97	328	325	10387	10501	32.1	32.6	17.43	17.31	1.04	1.04	77	71	4.7	4.7	3.6	3.7	3.8	3.7	4.3	4.8	MG
Crystal 369	2	72.56	67.99	100	2203	2209	102	335	331	10236	10841	30.8	33.0	17.89	17.66	1.15	1.13	74	71	3.9	3.9	3.5	3.4	4.7	4.5	3.3	2.8	MG
Crystal 581	NC	78.27	73.05	108	2436	2353	109	349	344	10962	11179	31.8	32.8	18.39	18.14	0.92	0.94	74	70	4.3	4.1	3.4	3.3	3.7	3.8	2.6	2.4	MG
Benchmark var. mean		71.54	67.85		2187	2169		332	330	10234	10641	31.1	32.4	17.65	17.55	1.04	1.03	73	72									

Excellent | V.Good | Caution | Weak

+++ 2026 Sites include Casselton, Averill, Ada, Scandia, Grand Forks, Forest River, St Thomas, and Neche

Created 10/29/2026

+++ 2025 Sites include Casselton, Averill, Perley, Ada, Caledonia, Scandia, Reynolds, Alvarado, Stephen, St Thomas, Northcote, and Bathgate

++ 2026 Revenue estimate based on a $66.66 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses and 2025 Revenue estimate based on a $60.97 beet payment (5-yr ave) at 17.5% crop with a 1.5% loss to molasses.

+ Emergence is % of planted seeds producing a 4 leaf beet.

** Does not meet Full Market Approval. Meets Aphanomyces and/or Rhizoctonia Specialty Approval .

* 2026 Cercospora from Saginaw MI, Averill MN, Forest River ND and Northcote MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from TSC-S and TSC-N at Moorhead MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

* 2025 Cercospora from Saginaw MI, Randolph MN, Averill MN, Caledonia ND and Stephen MN (res.<4.4, susc>5.0). Aphanomyces ratings from Shakopee MN and Glyndon MN (res.<4.0, susc>4.8). Rhizoctonia from Saginaw MI, Moorhead MN and Crookston MN (res.<3.8, susc>5). Fusarium from Moorhead MN and Sabin MN (res.<3.0, susc>5.0). MG indicates muligenic resistance to Rhizomania.

Key to color highlighting

Disease/Trait	Tolerance/Category	Color	Category levels
Rhizomania	V. Good	L Green	Single gene resistance to Rhizomania
Rhizomania	Excellent	D Green	Multigenic resistance to Rhizomania
Rhizoctonia	Weak	Orange	>5.0
Rhizoctonia	Caution	Yellow	>4.4-5.0
Rhizoctonia	V. Good	L Green	>3.82-4.4
Rhizoctonia	Excellent	D Green	<= 3.82 (specialty criteria)
Aphanomyces	Weak	Orange	>4.8
Aphanomyces	Caution	Yellow	>4.4-4.8
Aphanomyces	V. Good	L Green	>4.0-4.4
Aphanomyces	Excellent	D Green	<= 4.0 (specialty criteria)
Fusarium	Weak	Orange	>5.0
Fusarium	Caution	Yellow	>4.0-5.0
Fusarium	V. Good	L Green	>3.0-4.0
Fusarium	Excellent	D Green	<=3.0
Cercospora	Weak	Orange	>5.0
Cercospora	Caution	Yellow	>4.5-5.0
Cercospora	V. Good	L Green	>4.0-4.5
Cercospora	Excellent	D Green	<=4.0
Emergence	V. Good	L Green	Highest 10 entries
Sugar	V. Good	L Green	Highest 10 entries
Yield	V. Good	L Green	Highest 10 entries
Molasses	V. Good	L Green	Lowest 10 entries
Rec/Acre	V. Good	L Green	Highest 10 entries
Rec/Ton	V. Good	L Green	Highest 10 entries
Rev/Ton	V. Good	L Green	Highest 10 entries
Rev/Acre	V. Good	L Green	Highest 10 entries